Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
<b>L1</b>	2	("6477550").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 11:08
L2	4	(("6074434") or ("5845077")). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/19 11:09
S1	2	("6477550").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 17:04
S2	70	(launch adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/07 16:45
S3	0	(launch adj page) and ((software adj as adj a adj service) or (on adj demand))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 15:59
S4	0	(launch adj page) and ((on adj demand))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:00
S5	1	((on adj demand) near3 software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:00
S6		((on adj demand) near3 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:01
S7	659	((on-demand) near3 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:01
S8 .	1280	((on-demand) near3 (application or software or program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:02

	<del></del>		<del></del>		,	
\$9	1	((on-demand) near3 (application or software or program)) and (launch adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:02
S10	0	((on-demand) near3 (application or software or program)) and (determin\$6 near3 compati46)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:03
S11	0	((on-demand) near3 (application or software or program)) and (determin\$6 with compati46)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:03
S12	5	((on-demand) near3 (application or software or program)) and (determin\$6 near3 compati\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:04
S13	2	(launch adj page) same ((retriev\$4 or determin\$4) near3 (configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/03/07 16:45
S14	5	(launch adj page) and ((retriev\$4 or determin\$4) near3 (configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:46
S15	818	((retriev\$4 or determin\$4) near3 (configuration)) with page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:54
S16	0	(((retriev\$4 or determin\$4) near3 (configuration)) with page) same ((software adj as adj a adj service) or (on-demand) or (on adj demand))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:56
S17	0	(((retriev\$4 or determin\$4) near3 (configuration)) with page) same (application adj service adj provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:57
S18	46	(((retriev\$4 or determin\$4) near3 (configuration))) same ((software adj as adj a adj service) or (on-demand) or (on adj demand))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:08

	•					
S19	17	(((retriev\$4 or determin\$4) near3 (configuration))) same (application adj service adj provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:00
S20	3	(((retriev\$4 or determin\$4) near3 (configuration)) with (client or target)) same ((software adj as adj a adj service) or (on-demand) or (on adj demand))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:59
S21	0	(((retriev\$4 or determin\$4) near3 (configuration)) with (client or target)) same (application adj service adj provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 16:59
S22	<sup>.</sup> 348	((determin\$4 or gather\$4 or harvest\$4 or prob\$4 or retriev\$4) adj4 (client or target) adj4 (configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:11
S23	8	((determin\$4 or gather\$4 or harvest\$4 or prob\$4 or retriev\$4) adj4 (client or target) adj4 (configuration)) with page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:15
S24	2	((determin\$4 or gather\$4 or harvest\$4 or prob\$4 or retriev\$4) adj4 (client or target) adj4 (configuration)) with (web near3 (site or page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:19
S25	0	((determin\$4 or gather\$4 or harvest\$4 or prob\$4 or retriev\$4) adj4 (client or target) adj4 (configuration)) with (HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/07 17:12
\$26	133	(develop\$4 or creat\$4) near3 ((launch or load or start) near2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:04
S27	6	S26 same ((internet or online or network or distributed or web) near3 (application or software or program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:15
S28	0	S26 same ((on-demand or (on adj demand)) near3 (application or software or program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:06

S29	. 15	(Java or JavaScript or ActiveX or script) with web with ((retreiv\$4 or determin\$4 or gather\$4 or harvest\$4) near3 (variable or parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:24
S30	8	(Java or JavaScript or ActiveX or script) with ((retreiv\$4 or determin\$4 or gather\$4 or harvest\$4) near3 configuration near3 (variable or parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 17:24